Author index

Aalberse, R.C. see Eysink, P.E.D.

Aalberse, R.C. see Van Ree, R.

Aalberse, R.R.C. see Van Der Veen, M.J.

Åberg, B. see Hesselmar, B.

Åberg, N. see Hesselmar, B.

Abramson, M. see Dharmage, S.

Adamson, P. see Calder, V.L.

Advenier, C., Joos, G., Molimard, M., Lagente, V. & Pauwels, R. Role of tachykinins as contractile agonists of human airways in asthma, 579

Afferni, C., Iacovacci, P., Barletta, B., Di Felice, G., Tinghino, R., Mari, A. & Pini, C. Role of carbohydrate moieties in IgE binding to allergenic components of Cupressus arizonica pollen extract, 1087

Ahorn, H. see Hoffmann-Sommergruber, K.

Akira, S. see Miyata, S.

Akiyama, H. see Morishita, Y.

Akkerdaas, J.H. see Van Ree, R.

Al-Ali, S.F. see Ezeamuzie, C.I.

Al-Dowaisan, A. see Ezeamuzie, C.I.

Allen, A. see Calvert, J.E.

Almqvist, C. see Wickman, M.

Alonso-Gómez, A. see Daschner, A.

Alvarez, M. see Blanco, C.

Amayasu, H. see Shoji, T.

Amayasu, H. see Yoshida, S.

Anderson, H.R. see Moran, S.E.

Ando, M. see Miyajima, M.

Annesi-Maesano, I. see Oryszczyn, M.-P.

Aoki, K. see Noma, T.

Aragoncillo, C. see Sanchez-Monge, R.

Arata, J. see Morishita, Y.

Arinami, T. see Noguchi, E.

Armengaud, A. see Charpin, D.

Armentia, A. see Vega, J.M.

Arnold, R., Rihoux, J.-P. & König, W. Cetirizine counter-regulates interleukin-8 release from human epithelial cells (A549), 1681

Arnved, J. see Würtzen, P.A.

Arruda, L.K. see Chew, F.T.

Arshad, S.H. & Nanabhay, Y. Early biomarkers of allergic disease in children. 576

Arshad, S.H. see Tariq, S.M.

Audicana, M.T. see Lorenzo, S.

Aversa, G. see Jung, T.

Baba, M. see Ichikawa, K.

Bacci, E. see Cianchetti, S.

Bagnall, A. see Wang, J.H.

Bagnato, G.F. see Purello-D'Ambrosio, F.

Bailey, M. see Dharmage, S.

Baker, P.J. see Lovborg, U.

Balder, B. see Jacobson, M.R.

Baldo, B.A. Penicillins and cephalosporins as allergens — structural aspects of recognition and cross-reactions, 744

Baldwin, C.I. see Calvert, J.E.

Balfour-Lynn, I.M. Quantitative evaluation of nasal mucus proteins, 719

Barceló-Muñoz, J.M. see García-González, J.J.

Barletta, B. see Afferni, C.

Barnes, P.J. see Horváth, I.

Barr, J. see Katz, Y.

Barresi, L. see Purello-D'Ambrosio, F.

Bartoli, M.L. see Cianchetti, S.

Bartolomé-Zavala, B. see García-González, J.J.

Basketter, D.A. see Dearman, R.J.

Bateman, B.J. & Dean, T.P. The Cheshire cat's grin — is cat allergy here to stay?, 725

Bauer, P.C. see Dai, H.

Baumgarten, C. see Meissner, N.

Baur, X. see Posch, A.

Beasley, R. see Gregory, A.

Beasley, R. see Wickens, K.

Becker, E.L. Elements of the history of our present concepts of anaphylaxis, hay fever and asthma, 875

Becker, W.-M. see Gehlhar, K.

Beghé, B. see Holloway, J.W.

Belaiche, J. see Louis, E.

Benyon, R.C. Mast cells in the liver, 155

Beretta, B. see Restani, P.

Berger, P., Compton, S.J., Molimard, M., Walls, A.F., N'Guyen, C., Marthan, R. & Tunon-De-Lara, J.M. Mast cell tryptase as a mediator of hyperresponsiveness in human isolated bronchi, 804

Berglind, N. see Wickman, M.

Bernard, H. see Sélo, I.

Bernardini, R., Novembre, E., Lombardi, E., Mezzetti, P., Cianferoni, A., Danti, D.A., Mercurella, A. & Vierucci, A. Risk factors for latex allergy in patients with spina bifida and latex sensitization, 681

Bernardo, L. see Fiocchi, A.

Beyer, K. see Niggemann, B.

Bijl-Hofland, I.D. see Cloosterman, S.G.M.

Bindels, P.J.E. see Eysink, P.E.D.

Binder, C. see Niggemann, B.

Birnbaum, J. see Charpin, D.

Birnbaum, J. see Porri, F.

Björkstén, B. see Hesselmar, B.

Björkstén, B., Naaber, P., Sepp, E. & Mikelsaar, M. The intestinal microflora in allergic Estonian and Swedish 2-year-old children, 342

Blanca, M. see Fernandez. J.

Blanco, C. see Sanchez-Monge, R.

Blanco, C., Carrillo, T., Ortega, N., Alvarez, M. & Castillo, R. Reply, 133

Bloigu, A. see Von Hertzen, L.

Bloom, S.R. see Makker, H.K.

Boner, A.L. see Piacentini, G.L.

Borger, P., Jonker, G.-J., Vellenga, E., Postma, D.S., De Monchy, J.G.R. & Kauffman, H.F. Allergen challenge primes for IL-5 mRNA production and abrogates β-adrenergic function in peripheral blood T lymphocytes from asthmatics, 933

Borger, P., Ten Hacken, N.H.T., Vellenga, E., Kauffman, H.F. & Postma, D.S. Peripheral blood T lymphocytes from asthmatic patients are primed for enhanced expression of interleukin (IL)-4 and IL-5 mRNA: associations with lung function and serum IgE, 772

Author index

Aalberse, R.C. see Eysink, P.E.D.

Aalberse, R.C. see Van Ree, R.

Aalberse, R.R.C. see Van Der Veen, M.J.

Åberg, B. see Hesselmar, B.

Åberg, N. see Hesselmar, B.

Abramson, M. see Dharmage, S.

Adamson, P. see Calder, V.L.

Advenier, C., Joos, G., Molimard, M., Lagente, V. & Pauwels, R. Role of tachykinins as contractile agonists of human airways in asthma, 579

Afferni, C., Iacovacci, P., Barletta, B., Di Felice, G., Tinghino, R., Mari, A. & Pini, C. Role of carbohydrate moieties in IgE binding to allergenic components of Cupressus arizonica pollen extract, 1087

Ahorn, H. see Hoffmann-Sommergruber, K.

Akira, S. see Miyata, S.

Akiyama, H. see Morishita, Y.

Akkerdaas, J.H. see Van Ree, R.

Al-Ali, S.F. see Ezeamuzie, C.I.

Al-Dowaisan, A. see Ezeamuzie, C.I.

Allen, A. see Calvert, J.E.

Almqvist, C. see Wickman, M.

Alonso-Gómez, A. see Daschner, A.

Alvarez, M. see Blanco, C.

Amayasu, H. see Shoji, T.

Amayasu, H. see Yoshida, S.

Anderson, H.R. see Moran, S.E.

Ando, M. see Miyajima, M.

Annesi-Maesano, I. see Oryszczyn, M.-P.

Aoki, K. see Noma, T.

Aragoncillo, C. see Sanchez-Monge, R.

Arata, J. see Morishita, Y.

Arinami, T. see Noguchi, E.

Armengaud, A. see Charpin, D.

Armentia, A. see Vega, J.M.

Arnold, R., Rihoux, J.-P. & König, W. Cetirizine counter-regulates interleukin-8 release from human epithelial cells (A549), 1681

Arnved, J. see Würtzen, P.A.

Arruda, L.K. see Chew, F.T.

Arshad, S.H. & Nanabhay, Y. Early biomarkers of allergic disease in children. 576

Arshad, S.H. see Tariq, S.M.

Audicana, M.T. see Lorenzo, S.

Aversa, G. see Jung, T.

Baba, M. see Ichikawa, K.

Bacci, E. see Cianchetti, S.

Bagnall, A. see Wang, J.H.

Bagnato, G.F. see Purello-D'Ambrosio, F.

Bailey, M. see Dharmage, S.

Baker, P.J. see Lovborg, U.

Balder, B. see Jacobson, M.R.

Baldo, B.A. Penicillins and cephalosporins as allergens — structural aspects of recognition and cross-reactions, 744

Baldwin, C.I. see Calvert, J.E.

Balfour-Lynn, I.M. Quantitative evaluation of nasal mucus proteins, 719

Barceló-Muñoz, J.M. see García-González, J.J.

Barletta, B. see Afferni, C.

Barnes, P.J. see Horváth, I.

Barr, J. see Katz, Y.

Barresi, L. see Purello-D'Ambrosio, F.

Bartoli, M.L. see Cianchetti, S.

Bartolomé-Zavala, B. see García-González, J.J.

Basketter, D.A. see Dearman, R.J.

Bateman, B.J. & Dean, T.P. The Cheshire cat's grin — is cat allergy here to stay?, 725

Bauer, P.C. see Dai, H.

Baumgarten, C. see Meissner, N.

Baur, X. see Posch, A.

Beasley, R. see Gregory, A.

Beasley, R. see Wickens, K.

Becker, E.L. Elements of the history of our present concepts of anaphylaxis, hay fever and asthma, 875

Becker, W.-M. see Gehlhar, K.

Beghé, B. see Holloway, J.W.

Belaiche, J. see Louis, E.

Benyon, R.C. Mast cells in the liver, 155

Beretta, B. see Restani, P.

Berger, P., Compton, S.J., Molimard, M., Walls, A.F., N'Guyen, C., Marthan, R. & Tunon-De-Lara, J.M. Mast cell tryptase as a mediator of hyperresponsiveness in human isolated bronchi, 804

Berglind, N. see Wickman, M.

Bernard, H. see Sélo, I.

Bernardini, R., Novembre, E., Lombardi, E., Mezzetti, P., Cianferoni, A., Danti, D.A., Mercurella, A. & Vierucci, A. Risk factors for latex allergy in patients with spina bifida and latex sensitization, 681

Bernardo, L. see Fiocchi, A.

Beyer, K. see Niggemann, B.

Bijl-Hofland, I.D. see Cloosterman, S.G.M.

Bindels, P.J.E. see Eysink, P.E.D.

Binder, C. see Niggemann, B.

Birnbaum, J. see Charpin, D.

Birnbaum, J. see Porri, F.

Björkstén, B. see Hesselmar, B.

Björkstén, B., Naaber, P., Sepp, E. & Mikelsaar, M. The intestinal microflora in allergic Estonian and Swedish 2-year-old children, 342

Blanca, M. see Fernandez. J.

Blanco, C. see Sanchez-Monge, R.

Blanco, C., Carrillo, T., Ortega, N., Alvarez, M. & Castillo, R. Reply, 133

Bloigu, A. see Von Hertzen, L.

Bloom, S.R. see Makker, H.K.

Boner, A.L. see Piacentini, G.L.

Borger, P., Jonker, G.-J., Vellenga, E., Postma, D.S., De Monchy, J.G.R. & Kauffman, H.F. Allergen challenge primes for IL-5 mRNA production and abrogates β-adrenergic function in peripheral blood T lymphocytes from asthmatics, 933

Borger, P., Ten Hacken, N.H.T., Vellenga, E., Kauffman, H.F. & Postma, D.S. Peripheral blood T lymphocytes from asthmatic patients are primed for enhanced expression of interleukin (IL)-4 and IL-5 mRNA: associations with lung function and serum IgE, 772 Bos, J.G. see Steerenberg, P.A.

Bourke, S.J. see Calvert, J.E.

Bousquet, J. see Demoly, P.

Bousquet, J. see Savolainen, J.

Boyd, F. see McSharry, C.

Boyd, G. see McSharry, C.

Bradding, P. Allergen immunotherapy and mast cells, 1445

Braun-Fahrländer, CH., Gassner, M., Grize, L., Neu, U., Sennhauser, F.H., Varonier, H.S., Vuille, J.C., Wüthrich, B. & The Scarpol Team. Prevalence of hay fever and allergic sensitization in farmers' children and their peers living in the same rural community, 28

Breiteneder, H. see Friedl-Hajek, R.

Breiteneder, H. see Hoffmann-Sommergruber, K.

Britton, J. see Li Kam Wa, T.C.

Brooke, M. see Emberlin, J.

Brown, V. see Ennis, M.

Brown, V. see Shields, M.D.

Brunekreef, B. On carpets, construction and covers, 433

Brunekreef, B. see Cloosterman, S.G.M.

Buckley, R.J. see Calder, V.L.

Bufe, A. see Gehlhar, K.

Bufe, A. see Würtzen, P.A.

Burge, H.A. see Chew, G.L.

Burr, M.L. Grass pollen: trends and predictions, 735

Burr, M.L. Indoor fungal exposure — does it matter, and what can be done about it?, 1442

Burton, P. see Macaubas, C.

Burton, P.R. see Palmer, L.J.

Burton, P.R. see Ramsay, C.E.

Busse, W.W. see Nagata, M.

Byström, J. see Venge, P.

Caballero, T. see Daschner, A.

Cabezudo-Artero, B. see García-González, J.J.

Cadot, P., Van Hoeyveld, E.M., Ceuppens, J.L. & Stevens, E.A.M. Composition and stability of allergenic extracts made from gamma-irradiated rye grass (Lolium perenne) pollen, 1248

Calder, V.L., Jolly, G., Hingorani, M., Adamson, P., Leonardi, A., Secchi, A.G., Buckley, R.J. & Lightman, S. Cytokine production and mRNA expression by conjunctival T-cell lines in chronic allergic eye disease, 1214

Calverley, A.E., Rees, D. & Dowdeswell, R.J. Allergy to complex salts of platinum in refinery workers: prospective evaluations of IgE and Phadiatop® status, 703

Calvert, J.E., Baldwin, C.I., Allen, A., Todd, A. & Bourke, S.J. Pigeon fanciers' lung: a complex disease?, 166

Cameron, P.A. see Schäppi, G.F.

Campagna, D. see Oryszczyn, M.-P.

Campbell, D.A. see Li Kam Wa, T.C.

Camporota, L. & Holloway, J.W. Interleukin-12 and allergic tissue response, 1298

Candore, G. see Di Lorenzo, G.

Canistraci, C. see Curioni, A.

Carlson, M. see Venge, P.

Carmona-Bueno, M.J. see García-González, J.J.

Carnevali, S. see Cianchetti, S.

Carrillo, T. see Blanco, C.

Carrillo, T. see Sanchez-Monge, R.

Carroccio, A., Cavataio, F. & Iacono, G. Cross-reactivity between milk proteins of different animals, 1014 Carswell, F., Oliver, J. & Weeks, J. Do mite avoidance measures affect mite and cat airborne allergens?, 193

Caruso, C. see Di Lorenzo, G.

Carvallo-Gil, E. see Lara-Marquez, M.L.

Castillo, R. see Blanco, C.

Cavagni, G. see Restani, P.

Cavataio, F. see Carroccio, A.

Ceuppens, J.L. see Cadot, P.

Chalmers, G.W., MacLeod, K.J., Thomson, L.J., Little, S.A., Patel, K.R., McSharry, C. & Thomson, N.C. Sputum cellular and cytokine responses to inhaled endothelin-1 in asthma, 1526

Chan, J. see Choy, D.K.L.

Chang, Z.-N., Peng, H.-J., Lee, W.-C., Chen, T.-S., Chua, K.-Y, Tsai, L.-C., Chi, C.-W. & Han, S.-H. Sequence polymorphism of the group 1 allergen of Bermuda grass pollen, 488

Chan-Yeung, M., McClean, P.A., Sandell, P.R., Slutsky, A.S. & Zamel, N. Sensitization to cat without direct exposure to cats, 762

Chao, P.-L. see Tsai, L.-C.

Chapman, M.D. see Chew, F.T.

Chapman, M.D. see Ichikawa, K.

Charpin, D. see Porri, F.

Charpin, D., Pascal, L., Birnbaum, J., Armengaud, A., Sambuc, R., Lanteaume, A. & Vervloet, D. Gaseous air pollution and atopy, 1474 Chatel, J.-M. see Sélo, I.

Chauhan, A.J. Gas cooking appliances and indoor pollution, 1009

Chen, C.C. see Yu, C.K.

Chen, T.-S. see Chang, Z.-N.

Chen, Y.C. see Yu. C.K.

Chen, Z. see Posch, A.

Cheng, A. see Dharmage, S.

Cheng, S. see Gregory, A.

Chew, F.T., Yi, F.C., Chua, K.Y., Fernandez-Caldas, E., Arruda, L.K., Chapman, M.D. & Lee, B.W. Allergenic differences between the domestic mites Blomia tropicalis and Dermatophagoides pteronyssinus, 982

Chew, F.T., Zhang, L., Ho, T.M. & Lee, B.W. House dust mite fauna of tropical Singapore, 201

Chew, G.L., Higgins, K.M., Milton, D.K. & Burge, H.A. The effects of carpet fresheners and other additives on the behaviour of indoor altergen assays, 470

Chi, C.-W. see Chang, Z.-N.

Cho, S.-H. see Kim, Y.-Y.

Cho, S.-H. see Park, H.-S.

Choi, I.-S. see Jang, A.-S.

Chou, P. see Huang, S.-L.

Choufani, G. see Michils, A.

Choy, D.K.L., Tong, M., Ko, F., Li, S.T., Ho, A., Chan, J., Leung, R. & Lai, C.K.W. Evaluation of the efficacy of a hospital-based asthma education programme in patients of low socioeconomic status in Hong Kong, 84

Christodoulopoulos, P. see Wright, E.D.

Chua, K.-Y see Chang, Z.-N.

Chua, K .- Y . see Chew, F.T.

Chua, K.-Y. see Tsai, L.-C.

Church, M.K. see Clough, G.F.

Cianchetti, S., Bacci, E., Ruocco, L., Bartoli, M.L., Carnevali, S., Dente, F.L., Di Franco, A., Giannini, D., Scuotri, L., Vagaggini, B. & Paggiaro, P.L. Salbutamol pretreatment does not change eosinophil percentage and eosinophilic cationic protein concentration in hypertonic saline-induced sputum in asthmatic subjects, 712 Cianferoni, A. see Bernardini, R.

Clark, M.R. see Furmonaviciene, R.

Clément, G. see Sélo, I.

Cloosterman, S.G.M., Schermer, T.R.J., Bijl-Hofland, I.D., Van Der Heide, S., Brunekreef, B., Van Den Elshouts, F.J.J., Van Herwaarden, C.L.A. & Van Schayck, C.P. Effects of house dust mite avoidance measures on Der p 1 concentrations and clinical condition of mild adult house dust mite-allergic asthmatic patients, using no inhaled steroids, 1336

Clough, G.F. & Church, M.K. Histamine synthesis, action and inactivation: is the balance disturbed in allergy?, 9

Codina, R. see Morell, F.

Collada, C. see Sanchez-Monge, R.

Collins, A.M., Leach, S., Payne, J., Mitchell, A., Dai, Y. & Jackson, G.D.F. A role for the hepatobiliary system in IgE-mediated intestinal inflammation in the rat, 262

Colombo, A. see Di Lorenzo, G.

Compton, S.J. see Berger, P.

Condorelli, G. see Marone, G.

Confino-Cohen, R., Melamed, S. & Goldberg, A. Debilitating beliefs, emotional distress and quality of life in patients given immunotherapy for insect sting allergy, 1626

Cookson, W.O.C.M. see Palmer, L.J.

Corden, J. see Emberlin, J.

Corne, J. Do inhaled corticosteroids reduce serum IgE levels? The answer is maybe but how relevant is the question?, 294

Corradin, G. see Kettner, A.

Cosentino, D. see Di Lorenzo, G.

Costabel, U. see Dai, H.

Costello, J.F. see Cotter, T.P.

Cotter, T.P., Hood, P.P., Costello, J.F. & Sampson, A.P. Exposure to systemic prednisolone for 4 hours reduces ex vivo synthesis of GM-CSF by bronchoalveolar lavage cells and blood mononuclear cells of mild allergic asthmatics, 1655

Coutelle, J. see Meissner, N.

Crane, J. see Fitzharris, P.

Crane, J. see Rains, N.

Crane, J. see Wickens, K.

Créminon, C. see Sélo, I.

Crimi, E., Voltolini, S., Minale, P. & Falagiani, P. Value of immunoglobulin E density in predicting nasal and bronchial response to inhaled allergens in rhinitic and asthmatic subjects with multiple sensitizations, 1663

Cristaudo, A. see Curioni, A.

Cromwell, O. see Klimek, L.

Cuesta, J. see Umpiérrez, A.

Cuevas, M. see Fernández-Rivas, M.

Curioni, A., Santucci, B., Cristaudo, A., Canistraci, C., Pietravalle, M., Simonato, B. & Giannattasio, M. Urticaria from beer: an immediate hypersensitivity reaction due to a 10-kDa protein derived from barley, 407

Custovic, A. & Woodcock, A. Feather or synthetic? That is, the question, 144

Dahlén, B. see Lensmar, C.

Dai, H., Guzman, J., Bauer, P.C. & Costabel, U. Elevated levels of soluble TNF receptors in bronchoalveolar lavage fluid in extrinsic allergic alveolitis, 1209

Dai, Y. see Collins, A.M.

Danti, D.A. see Bernardini, R.

Darsow, U. see Wistokat-Wülfing, A.

Daschner, A., Alonso-Gómez, A., Caballero, T., Suarez-De-Parga, J.M. & López-Serrano, M.C. Usefulness of early serial measurement of specific and total immunoglobulin E in the diagnosis of gastro-allergic anisakiasis, 1260

Davies, R.J. see Wang, J.H.

Davis, S. see Latza, U.

De Bruin-Weller, M.S., Weller, F.R. & De Monchy, J.G.R. Repeated allergen challenge as a new research model for studying allergic reactions, 159

De Groot, C.J. see Eysink, P.E.D.

De Jong, E.C. see Van Der Veen, M.J.

De Jong, M.H. see Eysink, P.E.D.

De La Fuente, R. see Vega, J.M. De Monchy, J.G.R. see Borger, P.

De Monchy, J.G.R. see De Bruin-Weller, M.S.

De Smet, M. see Diamant, Z.

Dean, T.P. see Bateman, B.J.

Dearman, R.J., Basketter, D.A., Evans, P. & Kimber, I. Comparison of cytokine secretion profiles provoked in mice by glutaraldehyde and formaldehyde, 124

Decet, E. see Fiocchi, A.

Deichmann, K.A. see Stephan, V.

Deichmann, K.A., Schmidt, A., Heinzmann, A., Kruse, S., Forster, J. & Kuehr, J. Association studies on β₂-adrenoceptor polymorphisms and enhanced IgE responsiveness in an atopic population, 794

Del Mar Trigo-Pérez, M. see García-González, J.J.

Demoly, P., Maly, F.E., Mautino, G., Grad, S., Gougat, C., Sahla, H., Godard, P. & Bousquet, J. VEGF levels in asthmatic airways do not correlate with plasma extravasation, 1390

Dent, A.W. see Schäppi, G.F.

Dente, F.L. see Cianchetti, S.

Desreumaux, P. see Vandezande, L.M.

Devalia, J.L. see Wang, J.H.

Dharmage, S., Bailey, M., Raven, J., Cheng, A., Rolland, J., Thien, F., Forbes, A., Abramson, M. & Walters, E.H. Residential characteristics influence Der p 1 levels in homes in Melbourne, Australia, 461

Dharmage, S., Bailey, M., Raven, J., Mitakakis, T., Thien, F., Forbes, A., Guest, D., Abramson, M. & Walters, E.H. Prevalence and residential determinants of fungi within homes in Melbourne, Australia, 1481

Di Felice, G. see Afferni, C.

Di Franco, A. see Cianchetti, S.

Di Lorenzo, G., Gervasi, F., Drago, A., Esposito, M., Pellitteri, , Di Salvo, A., Cosentino, D., Potestio, M., Colombo, A., Candore, G., Mansueto, S. & Caruso, C. Comparison of the effects of fluticasone propionate, aqueous nasal spray and levocabastine on inflammatory cells in nasal lavage and clinical activity during the pollen season in seasonal rhinitics, 1367

Di Salvo, A. see Di Lorenzo, G.

Diamant, Z. & Sampson, A.P. Anti-inflammatory mechanisms of leukotriene modulators, 1449

Diamant, Z., Grootendorst, D.C., Veselic-Charvat, M., Timmers, M.C., De Smet, M., Leff, J.A., Seidenberg, B.C., Zwinderman, A.H., Peszek, I. & Sterk, P.J. The effect of montelukast (MK-0476), a cysteinyl leukotriene receptor antagonist, on allergen-induced airway responses and sputum cell counts in asthma, 42

Díaz-Perales, A. see Salcedo, G.

Díaz-Perales, A. see Sanchez-Monge, R.

Dicker, I.D. see Verin, P.H.

Didelot, R. see Porri, F.

Dieckhoff, K. see Jung, T.

Dinh, T.D. see Stephan, V.

Djukanovic, R. see Louis, E.

Dobbs, F.F. see Hughes, C.H.

Doekes, G. see Heederik, D.

Dong, R.-P. see Munakata, Y. Dormann, D. see Klimek, L.

Doull, I. see Gregory, A.

Dow, L. Asthma versus chronic obstructive pulmonary disease exploring why 'reversibility versus irreversibility' is no longer an appropriate approach, 739

Dowdeswell, R.J. see Calverley, A.E.

Drago, A. see Di Lorenzo, G.

Duchateau, J. see Michils, A.

Dunn, M.J. see Posch, A.

Durham, S.R. see Jacobson, M.R.

Durham, S.R., Varney, V.A., Gaga, M., Jacobson, M.R., Varga, E.M., Frew, A.J. & Kay, A.B. Grass pollen immunotherapy decreases the number of mast cells in the skin, 1490

Dvorak, A.M. & Morgan, E.S. Ribonuclease-gold ultrastructural localization of heparin in isolated human lung mast cells stimulated to undergo anaphylactic degranulation and recovery in vitro, 1118

Eber, E. see Gruber, W.

Eberlein-König, B., Jung, C., Rakoski, J. & Ring, J. Immunohistochemical investigation of the cellular infiltrates at the sites of allergoid-induced late-phase cutaneous reactions associated with pollen allergen-specific immunotherapy, 1641

Ebner, C. see Hoffmann-Sommergruber, K.

Ebner, C. see Jensen-Jarolim, E.

Ebner, H. see Jensen-Jarolim, E.

Edston, E., Gidlund, E., Wickman, M., Ribbing, H. & Van Hage-Hamsten, M. Increased mast cell tryptase in sudden infant death — anaphylaxis, hypoxia or artefact?, 1648

Edwards, S.R. see Pumphrey, R.S.H.

Egmar, A.-C. see Wickman, M.

Eklund, A. see Lensmar, C.

Eklund, E. see Krug, N.

Elsässer, S. see Szépfalusi, Z.

Emberlin, J., Mullins, J., Corden, J., Jones, S., Millington, W., Brooke, M. & Savage, M. Regional variations in grass pollen seasons in the UK, long-term trends and forecast models, 347

Emenius, G. see Wickman, M.

Enander, I. see Krug, N.

Ennis, M. see Shields, M.D.

Ennis, M., Turner, G., Schock, B.C., Stevenson, E.C., Brown, V., Fitch, P.S., Heaney, L.G., Taylor, R. & Shields, M.D. Inflammatory mediators in bronchoalveolar lavage samples from children with and without asthma, 362

Eriksson, B. see Hesselmar, B.

Esposito, M. see Di Lorenzo, G.

Evans, P. see Dearman, R.J.

Eysink, P.E.D., De Jong, M.H., Bindels, P.J.E., Scharp-Van Der Linden, V.T.M., De Groot, C.J., Stapel, S.O. & Aalberse, R.C. Relation between IgG antibodies to foods and IgE antibodies to milk, egg, cat, dog and/or mite in a cross-sectional study, 604 Ezeamuzie, C.I., Al-Ali, S.F., Al-Dowaisan, A., Khan, M., Hijazi, Z. & Thomson, M.S. Reference values of total serum IgE and their significance in the diagnosis of allergy among the young adult Kuwaiti population, 375

Falagiani, P. see Crimi, E.

Fan, G.K. see Mori, S.

Faragher, E.B. see Pumphrey, R.S.H.

Fattori, B. Response, 719

Fernández, A. see Vega, J.M.

Fernandez, J. Blanca, M., Soriano, V., Sanchez, J. & Juarez, C. Epidemiological study of the prevalence of allergic reactions to Hymenoptera in a rural population in the Mediterranean area, 1069

Fernandez-Caldas, E. see Chew, F.T.

Fernández-Meléndez, S. see García-González, J.J.

Fernández-Rivas, M. & Cuevas, M. Peels of Rosaceae fruits have a higher allergenicity than pulps. 1239

Fernvik, E., Grönneberg, R., Lundahl, J., Raud, J., Zetterström, O., Van Hage-Hamsten, M. & Halldén, G. Characterization of eosinophils and detection of eotaxin in skin chamber fluid after challenge with relevant allergen in patients with mild asthma, 1516

Fiocchi, A. see Restani, P.

Fiocchi, A., Restani, P., Travaini, M., Decet, E., Gaiaschi, A., Bernardo, L. & Riva, E. Carob is not allergenic in peanut-allergic subjects, 402

Fitch, P.S. see Ennis, M.

Fitch, P.S. see Shields, M.D.

Fitzharris, P. see Rains, N.

Fitzharris, P., Siebers, R. & Crane, J. Pillow talk: have we made the wrong beds for our patients to lie in?, 429

Flagge, A. see Posch, A.

Flindt, M.L.H. Proteinases and sensitization: house mites and enzyme detergents, 280

Fokkens, W.J. see Holm, A.F.

Forbes, A. see Dharmage, S.

Forster, J. see Deichmann, K.A.

Foster, P.S. STAT6: an intracellular target for the inhibition of allergic disease, 12

Franchimont, D. see Louis, E.

Frenkiel, S. see Wright, E.D.

Frew, A. see Salvi, S.S.

Frew, A.J. Cloning T cells from sites of allergic inflammation, 1155 Frew, A.J. see Durham, S.R.

Friedl-Hajek, R., Spangfort, M.D., Schou, C., Breiteneder, H., Yssel, H. & Joost Van Neerven, R.J. Identification of a highly promiscuous and an HLA allele-specific T-cell epitope in the birch major allergen Bet v 1: HLA restriction, epitope mapping and TCR sequence comparisons, 478

Friedmann, P.S. The role of dust mite antigen sensitization and atopic dermatitis, 869

Frischer, T. see Koller, D.Y.

Frischer, T. see Wojnarowski, C.

Frosh, A.C., Sandhu, G., Joyce, R. & Strachan, D.P. Prevalence of rhinitis, pillow type and past and present ownership of furred pets, 457

Fujieda, S. see Mori, S.

Fukuoka, M. see Tohda, Y.

Funayama, T. see Ohrui, T.

- Furmonaviciene, R., Tighe, P.J., Clark, M.R., Sewell, H.F. & Shakib, F. The use of phage-peptide libraries to define the epitope specificity of a mouse monoclonal anti-Der p 1 antibody representative of a major component of the human immunoglobulin E anti-Der p 1 response, 1563
- Furuyama, J. see Tanaka, K.
- Gaga, M. see Durham, S.R.
- Gaiaschi, A. see Fiocchi, A.
- Gaiaschi, A. see Restani, P.
- Gall, H. see May, A.
- Galli, C.L. see Restani, P.
- Gangemi, S. see Purello-D'Ambrosio, F.
- García-González, J.J., Bartolomé-Zavala, B., Del Mar Trigo-Pérez, M., Barceló-Muñoz, J.M., Fernández-Meléndez, S., Negro-Carrasco, M.A., Carmona-Bueno, M.J., Vega-Chicote, J.M., Muñoz-Román, C., Palacios-Peláez, R., Cabezudo-Artero, B. & Martínez-Quesada, J. Pollinosis to Ricinus communis (castor bean): an aerobiological, clinical and immunochemical study,
- García-Villaescusa, R. see Lorenzo, S.
- García-Villamuza, Y. see Umpiérrez, A.
- Gartner, C. see Wojnarowski, C.
- Gassner, M. see Braun-Fahrländer, CH.
- Gehlhar, K., Schlaak, M., Becker, W.-M. & Bufe, A. Monitoring allergen immunotherapy of pollen-allergic patients: the ratio of allergen-specific IgG4 to IgG1 correlates with clinical outcome, 497
- Gerstmayer, G. see Jensen-Jarolim, E.
- Gervasi, F see Di Lorenzo, G.
- Ghatei, M.A. see Makker, H.K.
- Giannattasio, M. see Curioni, A.
- Giannini, D. see Cianchetti, S.
- Gibelli, S. see Miadonna, A.
- Gibson, N.A. see Palmer, L.J.
- Gidlund, E. see Edston, E.
- Gimishanov, A. see Von Hertzen, L.
- Godard, P. see Demoly, P.
- Godthelp, T. see Holm, A.F.
- Goldberg, A. see Confino-Cohen, R.
- Goldblatt, J. see Palmer, L.J.
- Goldblatt, J. see Ramsay, C.E.
- Gossart, B. see Michils, A.
- Gougat, C. see Demoly, P.
- Grad, S. see Demoly, P.
- Granja, C. see Lara-Marquez, M.L.
- Gregory, A., Doull, I., Pearce, N., Cheng, S., Leadbitter, P., Holgate, S. & Beasley, R. The relationship between anthropometric measurements at birth: asthma and atopy in childhood, 330
- Grize, L. see Braun-Fahrländer, CH.
- Grönhagen-Riska, C. see Vesaluoma, M.
- Grönlund, H see Valenta, R.
- Grönneberg, R. see Fernvik, E.
- Grönneberg, R. see Halldén, G.
- Grootendorst, D.C. see Diamant, Z.
- Gruber, W., Eber, E., Mileder, P., Modl, M., Weinhandl, E. & Zach, M.S. Effect of specific immunotherapy with house dust mite extract on the bronchial responsiveness of paediatric asthma patients, 176
- Grunewald, J. see Lensmar, C.
- Grüntjens, T. see Storm Van's Gravesande, K.

- Guest, D. see Dharmage, S.
- Guilloux, L. see Porri, F.
- Gutgesell, C., Seubert, A., Junghans, V. & Neumann, CH. Inverse correlation of domestic exposure to Dermatophagoides pteronyssinus antigen patch test reactivity in patients with atopic dermatitis, 920
- Guzman, J. see Dai, H.
- Haahtela, T. see Vesaluoma, M.
- Haahtela, T. see Von Hertzen, L.
- Haåkansson, L. see Venge, P.
- Hakim, E.A. see Tariq, S.M.
- Hall, G.L., Peták, F., McMenamin, C. & Sly, P.D. The route of antigen delivery determines the airway and lung tissue mechanical responses in allergic rats, 562
- Hall, I.P. β₂-adrenoceptor polymorphisms and asthma, 1151
- Halldén, G. see Fernvik, E.
- Halldén, G., Hellman, C., Grönneberg, R. & Lundahl, J. Increased levels of IL-5 positive peripheral blood eosinophils and lymphocytes in mild asthmatics after allergen inhalation provocation, 595
- Halmerbauer, G. see Koller, D.Y.
- Halmerbauer, G. see Wojnarowski, C. Hamaguchi, H. see Noguchi, E.
- Hamano, N. see Terada, N.
- Hamid, Q. see Wright, E.D.
- Han, S.-H. see Chang, Z.-N.
- Han, S.-H. see Shen, H.-D.
- Hansell, A. see Nichols, T.
- Haraguchi, R. see Tohda, Y.
- Hari, Y. see Orasch, C.E.
- Harrison, P.T.C. Creature comforts living with mites and moulds, 148
- Hasegawa, H. see Shoji, T.
- Hasegawa, H. see Yoshida, S.
- Hashimoto, S. see Hayashi, S.
- Hashimoto-Tamaoki, T. see Tanaka, K.
- Hayashi, M. see Noma, T.
- Hayashi, S. & Hashimoto, S. Anti-inflammatory actions of new antihistamines, 1593
- Hayden, C.M. see Ramsay, C.E.
- Hayek, B. see Valenta, R.
- Heaney, L.G. see Ennis, M.
- Heederik, D. & Doekes, G. Exposure-response relationships for airborne allergens, 423
- Heidrich, S. see Jung, T.
- Heinzmann, A. see Deichmann, K.A.
- Helbling, A. see Orasch, C.E.
- Hellman, C. see Halldén, G.
- Helm, B.A. see Sayers, I.
- Henry, H. see Kettner, A.
- Hesselmar, B., Åberg, N., Åberg, B., Eriksson, B. & Björkstén, B. Does early exposure to cat or dog protect against later allergy development?, 611
- Higgins, K.M. see Chew, G.L.
- Hijazi, Z. see Ezeamuzie, C.I.
- Hingorani, M. see Calder, V.L.
- Hirata, N., Takeuchi, K., Ukai, K. & Sakakura, Y. Expression of histidine decarboxylase messenger RNA and histamine N-methyltransferase messenger RNA in nasal allergy, 76
- Hiruma, K. see Terada, N.
- Ho, A. see Choy, D.K.L.
- Ho, T.M. see Chew, F.T.

Hoekstra, M.O. Can eosinophil-derived proteins be used to diagnose or to monitor childhood asthma?, 873

Hoffmann-Sommergruber, K., O'Riordain, G., Ahorn, H., Ebner, C., Laimer Da Camara Machado, M., Pühringer, H., Scheiner, O. & Breiteneder, H. Molecular characterization of Dau c 1, the Bet v 1 homologous protein from carrot and its cross-reactivity with Bet v 1 and Api g 1, 840

Hohki, G. see Terada, N.

Holgate, S.T see Gregory, A.

Holgate, S.T. see Holloway, J.W.

Holgate, S.T. see Krishna, M.T.

Holgate, S.T. see Li Kam Wa, T.C.

Holgate, S.T. see Makker, H.K.

Holgate, S.T. see Salvi, S.

Holland, E. see Petkova, D.K.

Holloway, J.W. see Camporota, L.

Holloway, J.W., Beghé, B. & Holgate, S.T. The genetic basis of atopic asthma, 1023

Holm, A.F., Godthelp, T., Fokkens, W.J., Severijnen, E.A.W.F.M., Mulder, P.G.H., Vroom, T.M. & Rijntjes, E. Long-term effects of corticosteroid nasal spray on nasal inflammatory cells in patients with perennial allergic rhinitis, 1356

Holt, B.J. see Macaubas, C.

Holt, P.G. see Macaubas, C.

Hong, C.-S. see Park, J.W.

Hood, P.P. see Cotter, T.P.

Hoogsteden, H.C. see Van Der Velden, V.H.J.

Hopkin, J.M. Early life receipt of antibiotics and atopic disorder, 733 Horváth, I. & Barnes, P.J. Exhaled monoxides in asymptomatic atopic subjects, 1276

Howarth, P.H. see Makker, H.K.

Hsieh, K.-H. see Tsai, L.-C.

Huang, M.-H. see Shen, H.-D.

Huang, S.-L., Shiao, G.-M. & Chou, P. Association between body mass index and allergy in teenage girls in Taiwan, 323

Huel, G. see Oryszczyn, M.-P.

Hughes, C.H., Jones, R.C.M., Wright, D.E. & Dobbs, F.F. A retrospective study of the relationship between childhood asthma and respiratory infection during gestation, 1378

Hughes, G.J. see Kettner, A.

Hulsmann, A.R. see Van Der Velden, V.H.J.

Hung, M.-W. see Tsai, L.-C.

Hyland, M.E. A connectionist theory of asthma, 1467

Hyland, M.E. The influence of beliefs on the quality of life of patients with allergic diseases, 1591

Iacono, G. see Carroccio, A.

Iacovacci, P. see Afferni, C.

Ichikawa, K., Iwasaki, E., Baba, M. & Chapman, M.D. High prevalence of sensitization to cat allergen among Japanese children with asthma, living without cats, 754

Ide, T. see Kobayashi, C.

Igarashi, M. see Mori, S.

Iglesias, R. see Lorenzo, S.

Ikeda, K. see Monma, M.

Imoto, N. see Noguchi, E.

Inouye, S. see Kobayashi, C.

Inouye, S. see Sakaguchi, M.

Ipsen, H. see Würtzen, P.A.

Ishii, T. see Munakata, Y.

Ishikawa, K. see Terada, N.

Ishikawa, Y. see Noma, T.

Ishizaki, Y. see Yoshida, S.

Ishizuka, T., Okayama, Y., Kobayashi, H. & Mori, M. Interleukin-10 is localized to and released by human lung mast cells, 1424

Isola, S. see Purello-D' Ambrosio, F.

Ito, K. see Miyajima, M.

Iwasaki, E. see Ichikawa, K.

Iwata, S. see Munakata, Y.

Jackson, G.D.F. see Collins, A.M.

Jacobson, M.R. see Durham, S.R.

Jacobson, M.R., Juliusson, S., Löwhagen, O., Balder, B., Kay, A.B. & Durham, S.R. Effect of topical corticosteroids on seasonal increases in epithelial eosinophils and mast cells in allergic rhinitis: a comparison of nasal brush and biopsy methods, 1347

Jagdt, B. see Szépfalusi, Z.

James, D.E. & Nijkamp, F.P. Neuro-immune interactions in the lung, 1309

Jang, A.-S., Choi, I.-S., Lee, S., Seo, J.-P., Yang, S.-W., Park, K.-O., Lee, K.-Y.. Lee, J.-U., Park, C.-S. & Park, H.-S. Nitric oxide metabolites in induced sputum: a marker of airway inflammation in asthmatic subjects, 1136

Janin, A. see Vandezande, L.M.

Jansen, H.M. see Van Der Veen, M.J.

Jarman, E.R. see Klimek, L.

Jenmalm, M.C. see Macaubas, C.

Jensen-Jarolim, E., Gerstmayer, G., Kraft, D., Scheiner, O., Ebner, H. & Ebner, C. Serological characterization of allergens in poppy seeds, 1075

Jeoung, B.-J. see Park, J.W.

Johansson, E. see Kronqvist, M.

Johansson, S.G.O. see Kronqvist, M.

Johnston, I.D.A. see Moran, S.E.

Jolly, G. see Calder, V.L.

Jones, C.A. & Warner, J.O. Regulating a regulator: IFN

γ production by the neonate, 865

Jones, R.C.M. see Hughes, C.H.

Jones, S. see Emberlin, J.

Jonker, G.-J. see Borger, P.

Joos, G. see Advenier, C.

Joost Van Neerven, R.J. see Friedl-Hajek, R.

Joyce, R. see Frosh, A.C.

Juarez, C. see Fernandez, J.

Juliusson, S. see Jacobson, M.R.

Jung, C. see Eberlein-König, B.

Jung, K.-S. see Park, H.-S.

Jung, T., Moessner, R., Dieckhoff, K., Heidrich, S. & Neumann, C. Mechanisms of deficient interferon-γ production in atopic diseases, 912

Jung, T., Witzak, K., Dieckhoff, K., Zachmann, K., Heidrich, S., Aversa, G. & Neumann, C. IFN-\(\gamma\) is only partially restored by co-stimulation with IL-12, IL-2, IL-15, IL-18 or engagement of CD28, 207

Junghans, V. see Gutgesell, C.

Kalimo, K. see Savolainen, J.

Kanbe, N., Kurosawa, M., Nagata, H., Saitoh, H. & Miyachi, Y. Cord blood-derived human cultured mast cells produce transforming growth factor β₁, 105 Kaneko, S. see Matsuyama, T.

Kang, K.-R. see Park, H.-S.

Kanzaki, H. see Morishita, Y.

Kapp, A. see Wistokat-Wülfing, A.

Karawacjzyk, M. see Venge, P.

Karmaus, W. see Mattes, J.

Katz, Y., Verleger, H., Barr, J., Rachmiel, M., Kiviti, S. & Kuttin, E.S. Indoor survey of moulds and prevalence of mould atopy in Israel, 186

Kauffman, H.F. see Borger, P.

Kauffmann, F. see Oryszczyn, M.-P.

Kaufmann, R. see May, A.

Kauppinen, J., Zeiler, T., Rautiainen, J., Rytkönen-Nissinen, M., Taivainen, A., Mäntyjärvi, R. & Virtanen, T. Mutant derivatives of the main respiratory allergen of cow are less allergenic than the intact molecule, 989

Kawano, Y. see Noma, T.

Kay, A.B. see Durham, S.R.

Kay, A.B. see Jacobson, M.R.

Kekwick, R. see Merrett, T.G.

Kendall, G. see Macaubas, C.

Kettner, A., Henry, H., Hughes, G.J., Corradin, G. & Spertini, F. IgE and T-cell responses to high-molecular weight allergens from bee venom. 394

Khan, M. see Ezeamuzie, C.I.

Kikuchi, T. see Monma, M.

Kilty, I.C. & Vickers, P.J. Studies of differential gene expression in clinically derived eosinophil populations, 1671

Kim, C.W. see Park, J.W.

Kim, H.-Y. see Kim, Y.-Y.

Kim, H.-Y. see Park, H.-S.

Kim, Y .- Y . see Kim, Y .- Y .

Kim, Y.-Y. see Park, H.-S.

Kim, Y.-Y., Son, J.-W., Kim, H.-Y., Park, H.-S., Lee, M.-H., Cho, S.-H., Min, K.-U. & Kim, Y.-Y. Citrus red mite (Panonychus citri) is the most common sensitizing allergen of asthma and rhinitis in citrus farmers, 1102

Kimber, I. see Dearman, R.J.

Kips, J.C. & Pauwels, R.A. Airway wall remodelling: does it occur and what does it mean?, 1457

Kiviti, S. see Katz, Y.

Klimek, L. & Rasp, G. Norm values for eosinophil cationic protein in nasal secretions: influence of specimen collection, 367

Klimek, L., Dormann, D., Jarman, E.R., Cromwell, O., Riechelmann, H. & Reske-Kunz, A.B. Short-term preseasonal birch pollen allergoid immunotherapy influences symptoms, specific nasal provocation and cytokine levels in nasal secretions, but not peripheral T-cell responses, in patients with allergic rhinitis, 1326

Knox, A.J. see Petkova, D.K.

Ko, F. see Choy, D.K.L.

Ko, S.H. see Park, J.W.

Kobayashi, C. see Sakaguchi, M.

Kobayashi, C., Nigi, H., Saito, S., Ide, T., Taniguchi, Y., Inouye, S. & Sakaguchi, M. IgE reactivity and cross-reactivity of Japanese monkeys (Macaca fuscata) to Japanese cedar (Cryptomeria japonica) and cypress (Chamaecyparis obtusa) pollen allergens, 856

Kobayashi, H. see Ishizuka, T.

Kobayashi, K. see Noguchi, E.

Kochs, S. see Meissner, N.

Kodama, T. see Miyata, S.

Koëter, G.H. see Rutgers, S.R.

Koller, D.Y. see Wojnarowski, C.

Koller, D.Y., Halmerbauer, G., Frischer, T. & Roithner, B. Assessment of eosinophil granule proteins in various body fluids: is there a relation to clinical variables in childhood asthma?, 786

Konaka, A. see Sakaguchi, M.

König, W. see Arnold, R.

Konno, A. see Terada, N.

Kopp, M. see Storm Van's Gravesande, K.

Kosonen, J. see Savolainen, J.

Kraft, D. see Jensen-Jarolim, E.

Kraft, D. see Valenta, R.

Krishna, M.T. & Holgate, S.T. Inflammatory mechanisms underlying potentiation of effects of inhaled aeroallergens in response to nitrogen dioxide in allergic airways disease, 150

Kronqvist, M., Johansson, E., Pershagen, G., Johansson, S.G.O. & Van Hage-Hamsten, M. Increasing prevalence of asthma over 12 years among dairy farmers on Gotland, Sweden: storage mites remain dominant allergens, 35

Krug, N., Napp, U., Enander, I., Eklund, E., Rieger, C.H.L. & Schauer, U. Intracellular expression and serum levels of eosinophil peroxidase and eosinophil cationic protein in asthmatic children, 1507

Kruse, S. see Deichmann, K.A.

Kubo, H. see Tohda, Y.

Kuehr, J. see Deichmann, K.A.

Kuehr, J. see Stephan, V

Kuehr, J. see Storm Van's Gravesande, K.

Kumlin, M. see O'Sullivan, S.

Kunkel, G. see Meissner, N.

Kuribayashi, K. see Miyata, S.

Kurosawa, M. see Kanbe, N.

Kurzius-Spencer, M. see Sherrill, D.

Kussebi, F. see Meissner, N.

Kuttin, E.S. see Katz, Y.

Lacy, P. see Moqbel, R.

Lagente, V. see Advenier, C.

Lahoz, C. see Umpiérrez, A. Lai, C.K.W. see Choy, D.K.L.

Laimer Da Camara Machado, M. see Hoffmann-Sommergruber, K.

Laine, S. see Majamaa, H.

Lamblin, C. see Vandezande, L.M.

Lampinen, M., Rak, S. & Venge, P. The role of interleukin-5, interleukin-8 and RANTES in the chemotactic attraction of eosinophils to the allergic lung, 314

Lamproye, A. see Louis, E.

Lanteaume, A. see Charpin, D.

Lanteaume, A. see Porri, F.

Lara-Marquez, M.L., Yunis, J.J., Layrisse, Z., Ortega, F., Carvallo-Gil, E., Montagnani, S., Makhatadze, N.J., Pocino, M., Granja, C. & Yunis, E. Immunogenetics of atopic asthma: association of DRB1*1101 DQA1*0501 DQB1*0301 haplotype with Dermatophagoides sppsensitive asthma in a sample of the Venezuelan population, 60

Larché, M. Allergen isoforms for immunotherapy: diversity, degeneracy and promiseuity, 1588

Larsson, P. see Wickman, M.

Latza, U., Davis, S., Wilhelm, D., McKnight, B., Seyfarth, M. & Stein, H. Soluble cytokine receptor CD30 in atopic disorders: a case-control study, 97 Lau, L. see Louis, E.

Layrisse, Z. see Lara-Marquez, M.L.

Leach, S. see Collins, A.M.

Leadbitter, P. see Gregory, A.

Lee, B.W. see Chew, F.T.

Lee, J.-U. see Jang, A.-S.

Lee, K.-Y. see Jang, A.-S.

Lee, M.-H. see Kim, Y.-Y.

Lee, S. see Jang, A.-S.

Lee, W.-C. see Chang, Z.-N.

Leff, J.A. see Diamant, Z.

Lei, H.Y. see Yu, C.K.

Leinonen, M. see Von Hertzen, L.

Lemiere, C. see Porri, F.

Lensmar, C., Prieto, J., Dahlén, B., Eklund, A., Grunewald, J. & Roquet, A. Airway inflammation and altered alveolar macrophage phenotype pattern after repeated low-dose allergen exposure of atopic asthmatic subjects, 1632

Leonardi, A. see Calder, V.L.

Lesouëf, P.N. see Palmer, L.J.

Lesouef, P.N. see Ramsay, C.E.

Leung, R. see Choy, D.K.L.

Lezcano-Meza, D. & Teran, L.M. Occupational asthma and interleukin-8, 1301

Li Kam Wa, T.C., Mansur, A.H., Britton, J., Williams, G., Pavord, I., Richards, K., Campbell, D.A., Morton, N., Holgate, S.T. & Morrison, J.F.J. Association between — 308 tumour necrosis factor promoter polymorphism and bronchial hyperreactivity in asthma, 1204

Li, S.T. see Choy, D.K.L.

Liaw, S.-H. see Tsai, L.-C.

Lidholm, J. see Valenta, R.

Lightman, S. see Calder, V.L.

Lin, R.-H. see Wang, L.-F.

Lin, W.-L. see Shen, H.-D.

Lintu, P. see Savolainen, J.

Little, S.A. see Chalmers, G.W.

Liu, C.-W. see Yu, C.K.

Liu, Y.-H. see Yu, C.K.

Lombardi, E. see Bernardini, R.

López-Serrano, M.C. see Daschner, A.

Lorenzo, S., Iglesias, R., Audícana, M.T., García-Villaescusa, R., Pardo, F., Sanmartín, M.L. & Ubeira, F.M. Human immunoglobulin isotype profiles produced in response to antigens recognized by monoclonal antibodies specific to Anisakis simplex, 1095

Lorini, M. see Miadonna, A.

Louis, E., Louis, R., Shute, J., Lau, L., Franchimont, D., Lamproye, A., Radermecker, M., Djukanovic, R. & Belaiche, J. Bronchial eosinophilic infiltration in Crohn's disease in the absence of pulmonary disease, 660

Louis, R. see Louis, E.

Lovborg, U., Baker, P.J., Taylor, D.J.M., Yin, P. & Tovey, E.R. Subtribe-specific monoclonal antibodies to Lolium perenne, 973

Lwenstein, H. see Meissner, N.

Löwhagen, O. see Jacobson, M.R.

Lundahl, J. see Fernvik, E.

Lundahl, J. see Halldén, G.

Macaubas, C., Sly, P.D., Burton, P., Tiller, K., Yabuhara, A., Holt, B.J., Smallacombe, T.B., Kendall, G., Jenmalm, M.C. & Holt, P.G. Regulation of T-helper cell responses to inhalant allergen during early childhood, 1223 MacLeod, J.D.A. The treatment of allergic eye disease: has sodium cromoglycate had its day?, 436

MacLeod, K. see McSharry, C.

MacLeod, K.J. see Chalmers, G.W.

Madsen, H.O. see Würtzen, P.A.

Maekawa, K. see Obata, T.

Maesako, K.I. see Terada, N.

Majamaa, H., Laine, S. & Miettinen, A. Eosinophil protein X and eosinophil cationic protein as indicators of intestinal inflammation in infants with atopic eczema and food allergy, 1502

Makhatadze, N.J. see Lara-Marquez, M.L.

Makker, H.K., Springall, D.R., Redington, A.E., Ghatei, M.A., Bloom, S.R., Polak, J.M., Howarth, P.H. & Holgate, S.T. Airway endothelin levels in asthma: influence of endobronchial hypertonic saline challenge, 241

Maly, F.E. see Demoly, P.

Mansueto, S. see Di Lorenzo, G.

Mansur, A.H. see Li Kam Wa, T.C.

Mäntyjärvi, R. see Kauppinen, J.

Marañón, F. see Umpiérrez, A.

Mari, A. see Afferni, C.

Marone, G., Spadaro, G., Palumbo, C. & Condorelli, G. The anti-IgE/ anti-FceRlcc autoantibody network in allergic and autoimmune disease, 17

Marthan, R. see Berger, P.

Martinez, F. see Sherrill, D.

Martínez-Quesada, J. see García-González, J.J.

Masaki, T. see Obata, T.

Matsui, A. see Noguchi, E.

Matsuura, N. see Noma, T.

Matsuyama, T. see Miyata, S.

Matsuyama, T., Urano, K., Ohkido, M., Ozawa, H., Ohta, A., Kaneko, S., Yahata, T., Takita, C. & Nishimura, T. The quantitative and qualitative defect of CD4+ CD45RO+ memory-type T cells are involved in the abnormality of TH1 immunity in atopic dermatitis patients, 687

Mattes, J. & Karmaus, W. The use of antibiotics in the first year of life and development of asthma: which comes first?, 729

Mattes, J. see Storm Van's Gravesande, K.

Matthews, S.M. see Tariq, S.M.

Mautino, G. see Demoly, P.

May, A., Weber, A., Gall, H., Kaufmann, R. & Zollner, T.M. Means of increasing sensitivity of an in vitro diagnostic test for aspirin intolerance, 1402

McClean, P.A. see Chan-Yeung, M.

McGregor, S. see McSharry, C.

McKnight, B. see Latza, U.

McMenamin, C. see Hall, G.L.

McSharry, C. see Chalmers, G.W.

McSharry, C., MacLeod, K., McGregor, S., Speekenbrink, A.B.J., Sriram, S., Boyd, F. & Boyd, G. Mucosal immunity in extrinsic allergic alveolitis: salivary immunoglobulins and antibody against inhaled avian antigens among pigeon breeders, 957

Meissner, N., Kochs, S., Coutelle, J., Kussebi, F., Baumgarten, C., Lwenstein, H., Kunkel, G. & Renz, H. Modified T-cell activation pattern during specific immunotherapy (SIT) in cat-allergic patients, 618

Melamed, S. see Confino-Cohen, R.

Mercurella, A. see Bernardini, R.

Meredith, C. see Miller, K.

Merrett, J. see Merrett, T.G.

Merrett, T.G., Merrett, J. & Kekwick, R. The prevalence of immunoglobulin E antibodies to the proteins of rubber (Hevea brasiliensis) latex and grass (Phleum pratense) pollen in sera of British blood donors. 1572

Mezzetti, P. see Bernardini, R.

Miadonna, A., Milazzo, N., Gibelli, S., Salmaso, C., Lorini, M. & Tedeschi, A. Nasal response to a single antigen challenge in patients with allergic rhinitis — inflammatory cell recruitment persists up to 48 hours, 941

Michils, A., Vervier, I., Choufani, G., Gossart, B. & Duchateau, J. Relationship between allergic status and specificity of IgG antibody to inhaled allergens: the grass pollen model, 832

Miettinen, A. see Majamaa, H.

Mikami, H. see Yoshida, S.

Mikelsaar, M. see Björkstén, B.

Milazzo, N. see Miadonna, A.

Mileder, P. see Gruber, W.

Miller, K., Meredith, C., Sélo, I. & Wal, J.-M. Allergy to bovine βlactoglobulin: specificity of immunoglobulin E generated in the Brown Norway rat to tryptic and synthetic peptides, 1696

Millington, W. see Emberlin, J.

Milton, D.K. see Chew, G.L.

Min, K.-U. see Kim, Y.-Y.

Minale, P. see Crimi, E.

Mitakakis, T. see Dharmage, S.

Mitchell, A. see Collins, A.M.

Miyachi, Y. see Kanbe, N.

Miyajima, M., Suga, M., Nakagawa, K., Ito, K. & Ando, M. Effects of erythromycin on experimental extrinsic allergic alveolitis, 253

Miyata, S., Matsuyama, T., Kodama, T., Nishioka, Y., Kuribayashi, K., Takeda, K., Akira, S. & Sugita, M. STAT6 deficiency in a mouse model of allergen-induced airways inflammation abolishes eosinophilia but induces infiltration of CD8⁺ T cells, 114

Modl, M. see Gruber, W.

Moessner, R. see Jung, T.

Moffatt, M.F. see Palmer, L.J.

Molimard, M. see Advenier, C.

Molimard, M. see Berger, P.

Moneo, I. see Vega, J.M.

Monma, M., Yamaya, M., Sekizawa, K., Ikeda, K., Suzuki, N., Kikuchi, T., Takasaka, T. & Sasaki, H. Increased carbon monoxide in exhaled air of patients with seasonal allergic rhinitis, 1537

Montagnani, S. see Lara-Marquez, M.L.

Moqbel, R. & Lacy, P. Exocytotic events in eosinophils and mast cells, 1017

Moran, S.E., Strachan, D.P., Johnston, I.D.A. & Anderson, H.R. Effects of exposure to gas cooking in childhood and adulthood on respiratory symptoms, allergic sensitization and lung function in young British adults, 1033

Morell, F., Codina, R. & Rodrigo, M.-J. Increased positivity of skin test and allergenic stability of glycerinated soybean hull extracts, 388

Morgan, E.S. see Dvorak, A.M.

Mori, M. see Ishizuka, T.

Mori, S., Fujieda, S., Igarashi, M., Fan, G.K. & Saito, H. Submucous turbinectomy decreases not only nasal stiffness but also sneezing and rhinorrhea in patients with perennial allergic rhinitis, 1542

Morimoto, C. see Munakata, Y.

Morishita, Y., Tada, J., Sato, A., Toi, Y., Kanzaki, H., Akiyama, H. & Arata, J. Possible influences of Staphylococcus aureus on atopic dermatitis — the colonizing features and the effects of staphylococcal enterotoxins, 1110

Morrison, J.F.J. see Li Kam Wa, T.C.

Mortemousque, B. see Verin, P.H.

Morton, N. see Li Kam Wa, T.C.

Moseler, M. see Stephan, V.

Moseler, M. see Storm Van's Gravesande, K.

Mulder, P.G.H. see Holm, A.F.

Mullins, J. see Emberlin, J.

Munakata, Y., Umezawa, Y., Iwata, S., Dong, R.-P., Yoshida, S., Ishii, T. & Morimoto, C. Specific inhibition of TH2-type cytokine production from human peripheral T cells by terfenadine in vitro, 1281

Muñoz-Román, C. see García-González, J.J.

N'Guyen, C. see Berger, P.

Naaber, P. see Björkstén, B.

Naber, B.A.E. see Van Der Velden, V.H.J.

Nagakura, T. see Obata, T.

Nagata, H. see Kanbe, N.

Nagata, M., Sedgwick, J.B., Vrtis, R. & Busse, W.W. Endothelial cells upregulate eosinophil superoxide generation via VCAM-1 expression, 550

Nahm, D.-H. see Park, H.-S.

Nakagawa, H. see Shoji, T.

Nakagawa, H. see Yoshida, S.

Nakagawa, K. see Miyajima, M.

Nakahara, H. see Tohda, Y.

Nakahara, S. see Noguchi, E.

Nakajima, S. see Tohda, Y.

Nanabhay, Y. see Arshad, S.H.

Napp, U. see Krug, N.

Negro-Carrasco, M.A. see García-González, J.J.

Neu, U. see Braun-Fahrländer, CH.

Neumann, C. see Jung, T.

Neumann, CH. see Gutgesell, C.

Ng, H.-P. see Tsai, L.-C.

Nichols, T., Hansell, A. & Strachan, D. The contribution of 'holiday deaths' to seasonal variations in asthma mortality in England and Wales, 1415

Niederberger, V. see Valenta, R.

Niggemann, B. Comparison of skin prick test and specific IgE determination for the diagnosis of latex allergy, 133

Niggemann, B., Sielaff, B., Beyer, K., Binder, C. & Wahn, U. Outcome of double-blind, placebo-controlled food challenge tests in 107 children with atopic dermatitis, 91

Nigi, H. see Kobayashi, C

Nigi, H. see Sakaguchi, M.

Nijkamp, F.P. see James, D.E.

Nishimura, T. see Matsuyama, T.

Nishioka, Y. see Miyata, S.

Noguchi, E., Shibasaki, M., Arinami, T., Takeda, K., Yokouchi, Y., Kobayashi, K., Imoto, N., Nakahara, S., Matsui, A. & Hamaguchi, H. Lack of association of atopy/asthma and the interleukin-4 receptor α gene in Japanese, 228

Noma, T., Hayashi, M., Kawano, Y., Yoshizawa, I., Ishikawa, Y., Saeki, T., Aoki, K. & Matsuura, N. Functional interleukin-5 activity in peripheral blood mononuclear cells from adolescents with mite antigen asthma in remission, 780

Novembre, E. see Bernardini, R.

O'Byrne, P.M. & Wood, L. Interleukin-5 and allergic inflammation, 573

O'Meara, T.J. see Poulos, L.M.

O'Riordain, G. see Hoffmann-Sommergruber, K.

O'Sullivan, S. & Kumlin, M. Eosinophil markers in childhood asthma, 1454

Obata, T., Nagakura, T., Masaki, T., Mackawa, K. & Yamashita, K. Eicosapentaenoic acid inhibits prostaglandin D₂ generation by inhibiting cyclo-oxygenase-2 in cultured human mast cells, 1129

Ohkido, M. see Matsuyama, T.

Ohrui, T., Funayama, T., Sekizawa, K., Yamaya, M. & Sasaki, H. Effects of inhaled beclomethasone dipropionate on serum IgE levels and clinical symptoms in atopic asthma, 357

Ohta, A. see Matsuyama, T.

Okayama, Y. see Ishizuka, T.

Oliver, J. see Carswell, F.

Onuma, K. see Yoshida, S.

Orasch, C.E., Helbling, A., Zanni, M.P., Yawalkar, N., Hari, Y. & Pichler, W.J. T-cell reaction to local anaesthetics: relationship to angioedema and urticaria after subcutaneous application — patch testing and LTT in patients with adverse reaction to local anaesthetics, 1549

Ortega, F. see Lara-Marquez, M.L.

Ortega, N. see Blanco, C.

Oryszczyn, M.-P., Annesi-Maesano, I., Campagna, D., Sahuquillo, J., Huel, G. & Kauffmann, F. Head circumference at birth and maternal factors related to cord blood total IgE, 334

Overbeek, S.E. see Van Der Velden, V.H.J.

Ozawa, H. see Matsuyama, T.

Paggiaro, P.L. see Cianchetti, S.

Pain, M.C.F. see Schäppi, G.F.

Palacios-Peláez, R. see García-González, J.J.

Palmer, L.J., Rye, P.J., Gibson, N.A., Moffatt, M.F., Goldblatt, J., Burton, P.R., Cookson, W.O.C.M. & Lesouëf, P.N. Association of FceR1-β polymorphisms with asthma and associated traits in Australian asthmatic families, 1555

Palumbo, C. see Marone, G.

Pang, L. see Petkova, D.K.

Papenfuss, F. see Posch, A.

Pardo, F. see Lorenzo, S.

Park, C.-S. see Jang, A.-S.

Park, H.-S. see Jang, A.-S.

Park, H.-S. see Kim, Y.-Y.

Park, H.-S., Jung, K.-S., Kang, K.-R., Nahm, D.-H., Cho, S.-H. & Kim, Y.-Y. Enhanced basophil histamine release and neutrophil chemotactic activity predispose grain dust-induced airway obstruction, 543

Park, H.-S., Jung, K.-S., Kim, H.-Y., Nahm, D.-H. & Kang, K.-R. Neutrophil activation following TDI bronchial challenges to the airway secretion from subjects with TDI-induced asthma, 1395

Park, J.W., Ko, S.H., Kim, C.W., Jeoung, B.-J. & Hong, C.-S. Identification and characterization of the major allergen of the Humulus japonicus pollen, 1080

Park, K.-O. see Jang, A.-S.

Pascal, L. see Charpin, D.

Patel, K.R. see Chalmers, G.W.

Pauwels, R. see Advenier, C.

Pauwels, R.A. see Kips, J.C.

Pavord, I. see Li Kam Wa, T.C.

Pavord, I.D. see Ward, R.

Payne, J. see Collins, A.M.

Pearce, N. see Gregory, A.

Pearce, N. see Wickens, K.

Pellitteri, see Di Lorenzo, G.

Peltre, G. see Sélo, I.

Pène, J. see Savolainen, J.

Peng, H.-J. see Chang, Z.-N.

Pershagen, G. see Kronqvist, M.

Peszek, I. see Diamant, Z.

Peták, F. see Hall, G.L. Peterson, C. see Venge, P.

Petkova, D.K., Pang, L., Range, S.P., Holland, E. & Knox, A.J. Immunocytochemical localization of cyclo-oxygenase isoforms in

cultured human airway structural cells, 965

Piacentini, G.L. & Boner, A.L. Response, 282
Pichler, W.J. Anisakiasis: immunity, allergy or both? Lessons on the natural role of immunoglobulin E from a nematode infestation.

Pichler, W.J. see Orasch, C.E.

Pietravalle, M. see Curioni, A.

Pini, C. see Afferni, C.

Plebani, A. see Restani, P.

Pocino, M. see Lara-Marquez, M.L.

Poiesi, C. see Restani, P.

Polak, J.M. see Makker, H.K.

Polosa, R. Prevalence of atopy and urban air pollution: dirty business, 1439

Porri, F., Lemiere, C., Birnbaum, J., Guilloux, L., Lanteaume, A., Didelot, R., Charpin, D. & Vervloet, D. Prevalence of muscle relaxant sensitivity in a general population: implications for a preoperative screening, 72

Posch, A., Wheeler, C.H., Chen, Z., Flagge, A., Dunn, M.J., Papenfuss, F., Raulf-Heimsoth, M. & Baur, X. Class I endochitinase containing a hevein domain is the causative allergen in latex-associated avocado allergy, 667

Postma, D.S. see Borger, P.

Postma, D.S. see Rutgers, S.R.

Potestio, M. see Di Lorenzo, G.

Poulos, L.M., O'Meara, T.J., Sporik, R. & Tovey, E.R. Detection of inhaled Der p 1, 1232

Pretolani, M. Interleukin-10: an anti-inflammatory cytokine with therapeutic potential, 1164

Prieto, J. see Lensmar, C.

Pühringer, H. see Hoffmann-Sommergruber, K.

Pumphrey, R.S.H., Wilson, P.B., Faragher, E.B. & Edwards, S.R. Specific immunoglobulin E to peanut, hazelnut and brazil nut in 731 patients: similar patterns found at all ages, 1256

Purello-D'Ambrosio, F., Isola, S., Ricciardi, L., Gangemi, S., Barresi, L. & Bagnato, G.F. A controlled study on the effectiveness of loratadine in combination with flunisolide in the treatment of nonallergic rhinitis with eosinophilia (NARES). 1143

Quirce, S. see Umpiérrez, A.

Rachmiel, M. see Katz, Y.

Radermecker, M. see Louis, E.

Rains, N., Siebers, R., Crane, J. & Fitzharris, P. House dust mite allergen (Der p 1) accumulation on new synthetic and feather pillows, 182 Raithel, M. see Schmelz, M.

Rak, S. see Lampinen, M.

Rakoski, J. see Eberlein-König, B.

Ramsay, C.E., Hayden, C.M., Tiller, K.J., Burton, P.R., Goldblatt, J. & Lesouef, P.N. Polymorphisms in the β₂-adrenoreceptor gene are associated with decreased airway responsiveness, 1195

Range, S.P. see Petkova, D.K.

Rasp, G. see Klimek, L.

Raud, J. see Fernvik, E.

Raulf-Heimsoth, M. see Posch, A.

Rautiainen, J. see Kauppinen, J.

Raven, J. see Dharmage, S.

Redington, A.E. see Makker, H.K.

Rees, D. see Calverley, A.E.

Renz, H. see Meissner, N.

Reske-Kunz, A.B. see Klimek, L.

Restani, P. see Fiocchi, A.

Restani, P., Gaiaschi, A., Plebani, A., Beretta, B., Cavagni, G., Fiocchi, A., Poiesi, C., Velonà, T., Ugazio, A.G. & Galli, C.L. Cross-reactivity between milk proteins from different animal species, 997

Ribbing, H. see Edston, E.

Ricciardi, L. see Purello-D'Ambrosio, F.

Richards, K. see Li Kam Wa, T.C.

Riechelmann, H. see Klimek, L.

Rieger, C.H.L. see Krug, N.

Rihoux, J.-P. see Arnold, R.

Rijntjes, E. see Holm, A.F.

Ring, J. see Eberlein-König, B.

Ring, J. see Wistokat-Wülfing, A.

Riva, E. see Fiocchi, A.

Robinson, C., Wan, H. & Winton, H.L. Response, 281

Rodrigo, M.-J. see Morell, F.

Roithner, B. see Koller, D.Y.

Roithner, B. see Wojnarowski, C.

Rolland, J. see Dharmage, S.

Roquet, A. see Lensmar, C.

Rosenberg, M.E. see Vesaluoma, M.

Ross, D.J. Ten years of the SWORD project, 750

Rukwied, R. see Schmelz, M.

Ruocco, L. see Cianchetti, S.

Rusznak, C. see Wang, J.H.

Rutgers, S.R., Koëter, G.H., Van Der Mark, T.W. & Postma, D.S. Protective effect of oral terfenadine and not inhaled ipratropium on adenosine 5'-monophosphate-induced bronchoconstriction in patients with COPD, 1287

Rye, P.J. see Palmer, L.J.

Rytkönen-Nissinen, M. see Kauppinen, J.

Saeki, T. see Noma, T.

Sahla, H. see Demoly, P.

Sahuquillo, J. see Oryszczyn, M.-P.

Saikku, P. see Von Hertzen, L.

Saito, H. see Mori, S.

Saito, S. see Kobayashi, C.

Saitoh, H. see Kanbe, N.

Sakaguchi, M. see Kobayashi, C.

Sakaguchi, M., Kobayashi, C., Inouye, S., Konaka, A., Yamada, T. & Nigi, H. Sensitization to grass, ragweed, mugwort pollen allergens in Japanese monkeys (Macaca fuscata): preliminary report, 1692 Sakakura, Y. see Hirata, N.

Sakamoto, H. see Shoji, T.

Salcedo, G. see Sanchez-Monge, R.

Salcedo, G., Díaz-Perales, A. & Sánchez-Monge, R. Fruit allergy: plant defence proteins as novel potential panallergens, 1158

Salmaso, C. see Miadonna, A.

Salvi, S. & Holgate, S.T. Could the airway epithelium play an important role in mucosal immunoglobulin A production?, 1597

Salvi, S. & Holgate, S.T. Mechanisms of particulate matter toxicity, 1187

Salvi, S.S., Frew, A. & Holgate, S. Is diesel a cause for increasing allergies?, 4

Sambuc, R. see Charpin, D.

Sampson, A.P. see Cotter, T.P.

Sampson, A.P. see Diamant, Z.

Sampson, A.P. see Sanak, M.

Sampson, H.A. see Sicherer, S.H. Sanak, M. & Sampson, A.P. Biosynthesis of cysteinyl-leucotrienes in

aspirin-intolerant asthma, 306 Sánchez, J. see Fernandez, J.

Sánchez, P. see Vega, J.M.

Sánchez-Monge, R. see Salcedo, G.

Sánchez-Monge, R., Blanco, C., Díaz-Perales, A., Collada, C., Carrillo, T., Aragoncillo, C. & Salcedo, G. Isolation and characterization of major banana allergens: identification as fruit class I chitinases, 673

Sanchís, M.E. see Vega, J.M.

Sandell, P.R. see Chan-Yeung, M.

Sandhu, G. see Frosh, A.C.

Sanmartín, M.L. see Lorenzo, S.

Santucci, B. see Curioni, A.

Sapsford, R.J. see Wang, J.H.

Sasaki, H. see Monma, M.

Sasaki, H. see Ohrui, T.

Sastre, J. see Umpiérrez, A.

Sato, A. see Morishita, Y.

Sato, H. see Tanaka, K.

Saueressig, H. see Stephan, V.

Savage, M. see Emberlin, J.

Savolainen, J., Kosonen, J., Lintu, P., Viander, M., Pène, J., Kalimo, K., Terho, E.O. & Bousquet, J. Candida albicans mannan- and protein-induced humoral, cellular and cytokine responses in atopic dermatitis patients, 824

Sayers, I. & Helm, B.A. The structural basis of human IgE-Fc receptor interactions, 585

Schäppi, G.F., Taylor, P.E., Pain, M.C.F., Cameron, P.A., Dent, A.W., Staff, I.A. & Suphioglu, C. Concentrations of major grass group 5 allergens in pollen grains and atmospheric particles: implications for hay fever and allergic asthma sufferers sensitized to grass pollen allergens, 633

Scharp-Van Der Linden, V.T.M. see Eysink, P.E.D.

Schauer, U. see Krug, N.

Scheiner, O. see Hoffmann-Sommergruber, K.

Scheiner, O. see Jensen-Jarolim, E.

Schermer, T.R.J. see Cloosterman, S.G.M.

Schlaak, M. see Gehlhar, K.

Schmelz, M., Zeck, S., Raithel, M. & Rukwied, R. Mast cell tryptase in dermal neurogenic inflammation, 695

Schmidt, A. see Deichmann, K.A.

Schmidt, P. see Wistokat-Wülfing, A.

Schock, B.C. see Ennis, M.

Schock, B.C. see Shields, M.D.

Schou, C. see Friedl-Hajek, R.

Schulz, O., Sewell, H.F. & Shakib, F. The interaction between the dust mite antigen Der p 1 and cell-signalling molecules in amplifying allergic disease, 439

Scuotri, L. see Cianchetti, S.

Secchi, A.G. see Calder, V.L.

Sedgwick, J.B. see Nagata, M.

Seibt, A. see Stephan, V.

Seidenberg, B.C. see Diamant, Z.

Sekizawa, K. see Monma, M.

Sekizawa, K. see Ohrui, T.

Sélo, I. see Miller, K.

Sélo, I., Clément, G., Bernard, H., Chatel, J.-M., Créminon, C., Peltre, G. & Wal, J.-M. Allergy to bovine β-lactoglobulin: specificity of human IgE to tryptic peptides, 1055

Sennhauser, F.H. see Braun-Fahrländer, CH.

Seo, J.-P. see Jang, A.-S.

Sepp, E. see Björkstén, B.

Seubert, A. see Gutgesell, C.

Severijnen, E.A.W.F.M. see Holm, A.F.

Sevéus, L. see Venge, P.

Sewell, H.F. see Furmonaviciene, R.

Sewell, H.F. see Schulz, O.

Seydewitz, H.H. see Storm Van's Gravesande, K.

Seyfarth, M. see Latza, U.

Shaheen, S.O. Obesity and asthma: cause for concern?, 291

Shakib, F. see Furmonaviciene, R.

Shakib, F. see Schulz, O.

Shen, H.-D., Lin, W.-L., Tam, M.F., Wang, S.-R., Tzean, S.-S., Huang, M.-H. & Han, S.-H. Characterization of allergens from Penicillium oxalicum and P. notatum by immunoblotting and N-terminal amino acid sequence analysis, 642

Sherrill, D., Stein, R., Kurzius-Spencer, M. & Martinez, F. On early sensitization to allergens and development of respiratory symptoms, 905

Shiao, G.-M. see Huang, S.-L.

Shibasaki, M. see Noguchi, E.

Shields, M.D. see Ennis, M.

Shields, M.D., Brown, V., Stevenson, E.C., Fitch, P.S., Schock, B.C., Turner, G., Taylor, R. & Ennis, M. Serum eosinophilic cationic protein and blood eosinophil counts for the prediction of the presence of airways inflammation in children with wheezing, 1382

Shoji, T. see Yoshida, S.

Shoji, T., Yoshida, S., Sakamoto, H., Hasegawa, H., Nakagawa, H. & Amayasu, H. Anti-inflammatory effect of roxithromycin in patients with aspirin-intolerant asthma, 950

Shute, J. see Louis, E.

Sicherer, S.H. & Sampson, H.A. Cow's milk protein-specific IgE concentrations in two age groups of milk-allergic children and in children achieving clinical tolerance, 507

Siebers, R. see Fitzharris, P.

Siebers, R. see Rains, N.

Sielaff, B. see Niggemann, B.

Simonato, B. see Curioni, A.

Slutsky, A.S. see Chan-Yeung, M.

Sly, P.D. see Hall, G.L.

Sly, P.D. see Macaubas, C.

Smallacombe, T.B. see Macaubas, C.

Smith, W. see Thomas, W.R.

Son, J.-W. see Kim, Y.-Y.

Soriano, V. see Fernandez, J.

Spadaro, G. see Marone, G. Spangfort, M.D. see Friedl-Hajek, R.

Speekenbrink, A.B.J. see McSharry, C.

Spertini, F. see Kettner, A.

Sporik, R. see Poulos, L.M.

Springall, D.R. see Makker, H.K.

Sriram, S. see McSharry, C.

Staff, I.A. see Schäppi, G.F.

Stapel, S.O. see Eysink, P.E.D.

Steerenberg, P.A., Van Asterdam, J.G.C., Vandebriel, R.J., Bos, J.G., Van Bree, L. & Van Loveren, H. Environmental and lifestyle factors may act in concert to increase the prevalence of respiratory allergy including asthma, 1304

Stein, H. see Latza, U.

Stein, R. see Sherrill, D.

Stephan, V., Kuehr, J., Seibt, A., Saueressig, H., Zingsem, S., Dinh, T.D., Moseler, M., Wahn, V. & Deichmann, K.A. Genetic linkage of HLA-class II locus to mite-specific IgE immune responsiveness, 1049

Sterk, P.J. see Diamant, Z.

Stevens, E.A.M. see Cadot, P.

Stevenson, E.C. see Ennis, M.

Stevenson, E.C. see Shields, M.D.

Stewart, A.G. see Wilson, J.W.

Storm Vanntjens, T., Kopp, M., Seydewitz, H.H., Moseler, M. & Kuehr, J. Circadian variation of urinary eosinophil protein X in asthmatic and healthy children, 1497

Strachan, D. see Nichols, T.

Strachan, D.P. see Frosh, A.C.

Strachan, D.P. see Moran, S.E.

Suarez-De-Parga, J.M. see Daschner, A.

Suga, M. see Miyajima, M.

Sugita, M. see Miyata, S.

Sugiura, H. see Tanaka, K.

Sun, C.-C. see Wang, L.-F.

Sun, Y.-C. see Tsai, L.-C.

Suphioglu, C. see Schäppi, G.F.

Suzuki, K. see Terada, N.

Suzuki, N. see Monma, M.

Szépfalusi, Z., Todoran, L., Elsässer, S., Jagdt, B., Wank, H. & Urbanek, R. Cord blood leucocytes/basophils produce and release sulfidoleucotrienes in response to allergen stimulation, 382

Tada, J. see Morishita, Y.

Taivainen, A. see Kauppinen, J.

Takasaka, T. see Monma, M.

Takeda, K. see Miyata, S.

Takeda, K. see Noguchi, E.

Takeuchi, K. see Hirata, N.

Takita, C. see Matsuyama, T.

Tam, M.F. see Shen, H.-D.

Tanaka, K., Sugiura, H., Uehara, M., Sato, H., Hashimoto-Tamaoki, T. & Furuyama, J. Association between mast cell chymase genotype and atopic eczema: comparison between patients with atopic eczema alone and those with atopic eczema and atopic respiratory disease, 800

Taniguchi, Y. see Kobayashi, C.

Tariq, S.M., Arshad, S.H., Matthews, S.M. & Hakim, E.A. Elevated cord serum IgE increases the risk of aeroallergen sensitization without increasing respiratory allergic symptoms in early childhood, 1042

Tauber, E. see Wojnarowski, C.

Taylor, D.J.M. see Lovborg, U.

Taylor, P.E. see Schäppi, G.F.

Taylor, R. see Ennis, M.

Taylor, R. see Shields, M.D.

Tedeschi, A. see Miadonna, A.

Ten Hacken, N.H.T. see Borger, P. Teppo, A.-M. see Vesaluoma, M.

Terada, N., Hamano, N., Maesako, K.I., Hiruma, K., Hohki, G., Suzuki, K., Ishikawa, K. & Konno, A. Diesel exhaust particulates upregulate histamine receptor mRNA and increase histamine-induced IL-8 and

GM-CSF production in nasal epithelial cells and endothelial cells, 52
Teran, L.M. Chemokines and IL-5: major players of eosinophil recruitment in asthma, 287

Teran, L.M. see Lezcano-Meza, D.

Terho, E.O. see Savolainen, J.

Tervo, T. see Vesaluoma, M.

The Scarpol Team. see Braun-Fahrländer, CH.

Thien, F. see Dharmage, S.

Thomas, W.R. & Smith, W. Towards defining the full spectrum of important house dust mite allergens, 1583

Thomson, L.J. see Chalmers, G.W.

Thomson, M.S. see Ezeamuzie, C.I.

Thomson, N.C. see Chalmers, G.W.

Tighe, P.J. see Furmonaviciene, R.

Tiller, K. see Macaubas, C.

Tiller, K.J. see Ramsay, C.E.

Timmers, M.C. see Diamant, Z.

Tinghino, R. see Afferni, C.

Todd, A. see Calvert, J.E.

Todoran, L. see Szépfalusi, Z.

Tohda, Y., Nakahara, H., Kubo, H., Haraguchi, R., Fukuoka, M. & Nakajima, S. Effects of ONO-1078 (pranlukast) on cytokine production in peripheral blood mononuclear cells of patients with bronchial asthma. 1532

Toi, Y. see Morishita, Y.

Tong, M. see Choy, D.K.L.

Tonnel, A.B. see Vandezande, L.M.

Tovey, E.R. see Lovborg, U.

Tovey, E.R. see Poulos, L.M.

Töyrylä, M. see Von Hertzen, L.

Travaini, M. see Fiocchi, A.

Trulson, A. see Venge, P.

Tsai, L.-C. see Chang, Z.-N.

Tsai, L.-C., Sun, Y.-C., Chao, P.-L., Ng, H.-P., Hung, M.-W., Hsieh, K.-H., Liaw, S.-H. & Chua, K.-Y. Sequence analysis and expression of a cDNA clone encoding a 98-kDa allergen in Dermatophagoides farinae, 1606

Tsicopoulos, A. see Vandezande, L.M.

Tunon-De-Lara, J.M. see Berger, P.

Turner, G. see Ennis, M.

Turner, G. see Shields, M.D.

Tzean, S.-S. see Shen, H.-D.

Ubeira, F.M. see Lorenzo, S.

Uehara, M. see Tanaka, K.

Ugazio, A.G. see Restani, P.

Ukai, K. see Hirata, N.

Umezawa, Y. see Munakata, Y.

Umpiérrez, A., Quirce, S., Marañón, F., Cuesta, J., García-Villamuza, Y., Lahoz, C. & Sastre, J. Allergy to goat and sheep cheese with good tolerance to cow cheese, 1064

Urano, K. see Matsuyama, T.

Urbanek, R. see Szépfalusi, Z.

Vagaggini, B. see Cianchetti, S.

Valenta, R., Lidholm, J., Niederberger, V., Hayek, B., Kraft, D. & Grönlund, H. The recombinant allergen-based concept of componentresolved diagnostics and immunotherapy (CRD and CRIT), 896

Van Asterdam, J.G.C. see Steerenberg, P.A.

Van Bree, L. see Steerenberg, P.A.

Van Den Elshouts, F.J.J. see Cloosterman, S.G.M.

Van Der Heide, S. see Cloosterman, S.G.M.

Van Der Mark, T.W. see Rutgers, S.R.

Van Der Veen, M.J., Van Neerven, R.J.J., De Jong, E.C., Aalberse, R.R.C., Jansen, H.M. & Van Der Zee, J.S. The late asthmatic response is associated with baseline allergen-specific proliferative responsiveness of peripheral T lymphocytes in vitro and serum interleukin-5, 217

Van Der Velden, V.H.J. & Hulsmann, A.R. Peptidases: structure, function and modulation of peptide-mediated effects in the human lune. 445

Van Der Velden, V.H.J., Naber, B.A.E., Van Hal, P.TH.W., Overbeek, S.E., Hoogsteden, H.C. & Versnel, M.A. Peptidase activities in serum and bronchoalveolar lavage fluid from allergic asthmatics — comparison with healthy non-smokers and smokers and effects of inhaled glucocorticoids, 813

Van Der Zee, J.S. see Van Der Veen, M.J.

Van Hage-Hamsten, M. see Edston, E.

Van Hage-Hamsten, M. see Fernvik, E.

Van Hage-Hamsten, M. see Kronqvist, M.

Van Hage-Hamsten, M. see Wickman, M.

Van Hal, P.TH.W. see Van Der Velden, V.H.J.

Van Herwaarden, C.L.A. see Cloosterman, S.G.M.

Van Hoeyveld, E.M. see Cadot, P.

Van Leeuwen, W.A. see Van Ree, R.

Van Loveren, H. see Steerenberg, P.A.

Van Neerven, R.J.J. see Van Der Veen, M.J.

Van Neerven, R.J.J. see Würtzen, P.A.

Van Ree, R., Van Leeuwen, W.A., Akkerdaas, J.H. & Aalberse, R.C. How far can we simplify in vitro diagnostics for Fagales tree pollen allergy? A study with three whole pollen extracts and purified natural and recombinant allergens, 848

Van Schayck, C.P. see Cloosterman, S.G.M.

Vandebriel, R.J. see Steerenberg, P.A.

Vandezande, L.M., Wallaert, B., Desreumaux, P., Tsicopoulos, A., Lamblin, C., Tonnel, A.B. & Janin, A. Interleukin-5 immunoreactivity and mRNA expression in gut mucosa from patients with food allergy, 652

Varga, E.M. see Durham, S.R.

Varney, V.A. see Durham, S.R.

Varonier, H.S. see Braun-Fahrländer, CH.

Vega, J. see Vega, J.M.

Vega, J.M., Moneo, I., Armentia, A., Fernández, A., Vega, J., De La Fuente, R., Sánchez, P. & Sanchís, M.E. Allergy to the pine processionary caterpillar (Thaumetopoea pityocampa), 1418 Vega-Chicote, J.M. see García-González, J.J.

Vellenga, E. see Borger, P.

Velonà, T. see Restani, P.

Venge, P. see Lampinen, M.

Venge, P., Byström, J., Carlson, M., Håkansson, L., Karawacjzyk, M., Peterson, C., Sevéus, L. & Trulson, A. Eosinophil cationic protein (ECP): molecular and biological properties and the use of ECP as a marker of eosinophil activation in disease, 1172

Verin, P.H., Dicker, I.D. & Mortemousque, B. Nedocromil sodium eye drops are more effective than sodium cromoglycate eye drops for the long-term management of vernal keratoconjunctivitis, 529

Verleger, H. see Katz, Y.

Versnel, M.A. see Van Der Velden, V.H.J.

Vervier, I. see Michils, A.

Vervloet, D. see Charpin, D.

Vervloet, D. see Porri, F.

Vesaluoma, M., Rosenberg, M.E., Teppo, A.-M., Grönhagen-Riska, C., Haahtela, T. & Tervo, T. Tumour necrosis factor alpha (TNFα) in tears of atopic patients after conjunctival allergen challenge, 537

Veselic-Charvat, M. see Diamant, Z.

Viander, M. see Savolainen, J.

Vickers, P.J. see Kilty, I.C.

Vierucci, A. see Bernardini, R.

Virtanen, T. see Kauppinen, J.

Voltolini, S. see Crimi, E.

Von Hertzen, L., Töyrylä, M., Gimishanov, A., Bloigu, A., Leinonen, M., Saikku, P. & Haahtela, T. Asthma, atopy and Chlamydia pneumoniae antibodies in adults, 522

Vroom, T.M. see Holm, A.F.

Vrtis, R. see Nagata, M.

Vuille, J.C. see Braun-Fahrländer, CH.

Wahn, U. Do asthmatic children benefit from specific immunotherapy?, 143

Wahn, U. see Niggemann, B.

Wahn, V. see Stephan, V.

Wal, J.-M. see Miller, K.

Wal, J.-M. see Sélo, I.

Wallaert, B. see Vandezande, L.M.

Walls, A.F. see Berger, P.

Walters, E.H. see Dharmage, S.

Wan, H. see Robinson, C.

Wang, J.H., Devalia, J.L., Rusznak, C., Bagnall, A., Sapsford, R.J. & Davies, R.J. Effect of fluticasone propionate aqueous nasal spray on allergen-induced inflammatory changes in the nasal airways of allergic rhinitics following exposure to nitrogen dioxide, 234

Wang, L.-F., Sun, C.-C., Wu, J.-T. & Lin, R.-H. Epicutaneous administration of hapten through patch application augments TH2 responses which can downregulate the elicitation of murine contact hypersensitivity, 271

Wang, S.-R. see Shen, H.-D.

Wank, H. see Szépfalusi, Z.

Ward, R., Woltmann, G., Wardlaw, A.J. & Pavord, I.D. Betweenobserver repeatability of sputum differential cell counts. Influence of cell viability and squamous cell contamination, 248

Wardlaw, A.J. see Ward, R.

Warner, J.O. see Jones, C.A.

Weber, A. see May, A.

Weeks, J. see Carswell, F.

Weinhandl, E. see Gruber, W.

Weller, F.R. see De Bruin-Weller, M.S.

Wenzel, S.E. Inflammation, leukotrienes and the pathogenesis of the late asthmatic response, 1

Werfel, T. see Wistokat-Wülfing, A.

Westergren, V. Artificial ventilation-acquired sinopathy in the critically ill — the maxillary sinuses revisited, 298

Wheeler, C.H. see Posch, A.

Wickens, K., Pearce, N., Crane, J. & Beasley, R. Antibiotic use in early childhood and the development of asthma, 766

Wickman, M. see Edston, E.

Wickman, M., Egmar, A.-C., Emenius, G., Almqvist, C., Berglind, N., Larsson, P. & Van Hage-Hamsten, M. Fel d 1 and Can f 1 in settled dust and airborne Fel d 1 in allergen avoidance day-care centres for atopic children in relation to number of pet-owners, ventilation and general cleaning, 626

Wilhelm, D. see Latza, U.

Williams, G. see Li Kam Wa, T.C.

Wilson, J.W. & Stewart, A.G. Airway vascularity in asthma, 1295

Wilson, P.B. see Pumphrey, R.S.H.

Winton, H.L. see Robinson, C.

Wissenbach, M. see Würtzen, P.A.

Wistokat-Wülfing, A., Schmidt, P., Darsow, U., Ring, J., Kapp, A. & Werfel, T. Atopy patch test reactions are associated with T lymphocyte-mediated allergen-specific immune responses in atopic dermatitis, 513

Witzak, K. see Jung, T.

Wojnarowski, C., Roithner, B., Koller, D.Y., Halmerbauer, G., Gartner, C., Tauber, E. & Frischer, T. Lack of relationship between eosinophil cationic protein and eosinophil protein X in nasal lavage and urine and the severity of childhood asthma in a 6-month follow-up study, 926

Woltmann, G. see Ward, R.

Wood, L. see O'Byrne, P.M.

Woodcock, A. see Custovic, A.

Wright, D.E. see Hughes, C.H.

Wright, E.D., Christodoulopoulos, P., Frenkiel, S. & Hamid, Q. Expression of interleukin- (IL) 12 (p40) and IL-12 (β₂) receptors in allergic rhinitis and chronic sinusitis, 1320

Wu, J.-T. see Wang, L.-F.

Würtzen, P.A., Bufe, A., Wissenbach, M., Madsen, H.O., Ipsen, H., Arnved, J. & Van Neerven, R.J.J. Identification of isoform-specific T-cell epitopes in the major timothy grass pollen allergen, Ph1 p 5, 1614

Wüthrich, B. see Braun-Fahrländer, CH.

Yabuhara, A. see Macaubas, C.

Yahata, T. see Matsuyama, T.

Yamada, T. see Sakaguchi, M.

Yamashita, K. see Obata, T.

Yamaya, M. see Monma, M.

Yamaya, M. see Ohrui, T.

Yang, B.C. see Yu, C.K.

Yang, S.-W. see Jang, A.-S.

Yawalkar, N. see Orasch, C.E.

Yi, F.C. see Chew, F.T.

Yin, P. see Lovborg, U.

Yokouchi, Y. see Noguchi, E.

Yoshida, S. see Munakata, Y.

Yoshida, S. see Shoji, T.

- Yoshida, S., Mikami, H., Nakagawa, H., Hasegawa, H., Onuma, K., Ishizaki, Y., Shoji, T. & Amayasu, H. Amalgam allergy associated with exacerbation of aspirin-intolerant asthma, 1412
- Yoshizawa, I. see Noma, T.
- Yssel, H. see Friedl-Hajek, R.
- Yu, C.K., Yang, B.C., Lei, H.Y., Chen, Y.C., Liu, Y.-H., Chen, C.C. & Liu, C.-W. Attenuation of house dust mite Dermatophagoides farinaeinduced airway allergic responses in mice by dehydroepiandrosterone is correlated with down-regulation of TH2 response, 414
- Yunis, E. see Lara-Marquez, M.L.
- Yunis, J.J. see Lara-Marquez, M.L.

- Zach, M.S. see Gruber, W.
- Zachmann, K. see Jung, T.
- Zamel, N. see Chan-Yeung, M.
- Zanni, M.P. see Orasch, C.E.
- Zeck, S. see Schmelz, M.
- Zeiler, T. see Kauppinen, J.
- Zetterström, O. see Fernvik, E.
- Zhang, L. see Chew, F.T.
- Zingsem, S. see Stephan, V.
- Zollner, T.M. see May, A.
- Zwinderman, A.H. see Diamant, Z.

